

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5	(user or subscriber or client) near5 selected near3 bandwidth same gateway	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L4	257	(user or subscriber or client) near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L7	291	limit\$6 near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L9	21	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not (((user or subscriber or client) near5 selected near3 bandwidth) with limit\$8)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L11	265	limit\$6 with selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L13	2145	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L15	11	(subscriber with identif\$6 with MAC) and AAA	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L19	351	AAA with subscriber	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L21	727	delay\$2 with determin\$6 with time with size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L22	82	delay\$2 with determin\$6 with time with size with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07

L23	3	delay\$2 with determin\$6 with time with size with packet with byte	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L25	228	709/232,240.ccls. and (delay\$2 with time and byte)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L27	405	(delay\$2 with based with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L29	3345	"ring buffer"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L31	0	(AAA with subscriber) and (709/232,240.ccls. and (delay\$2 with time and byte))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L33	0	"ring buffer" and ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L34	3716044	determin\$6 ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L36	264	determin\$6 with ("delay time" with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L38	3060	maximum with delay with seconds	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L42	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L43	0	"5787483".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L44	2	"6609153".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L45	0	"6609153".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07

L46	298	"ring buffer" and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L47	17688	"70" and queue	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L48	298	("ring buffer" and wireless)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L50	1	("ring buffer" and wireless) and (limit\$6 near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L51	184	("ring buffer" and wireless) and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L52	3	((("ring buffer" and wireless) and packet) and 709/232.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L56	2	"5793978".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L57	0	"5793978".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L58	2	subscriber with profile with selected with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L59	108	profile with selected with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L65	0	"6345293".pn. and profile with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L66	0	"6345293".pn. and profile same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07

L68	0	user with badnwidth with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L69	207	user with bandwidth with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L72	27	dynamic\$ with adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L77	0	L74 and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
L78	1	L74 and rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/15 13:07
S1	14	limit\$6 with (user or subscriber or client) near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:07
S2	1	(user or subscriber or client) near5 selected near3 bandwidth same gateway	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:53
S3	2	(user or subscriber or client) near5 selected near3 bandwidth same (gateway or router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:54
S4	118	(user or subscriber or client) near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:00
S5	16	"4".ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:56
S6	14	((user or subscriber or client) near5 selected near3 bandwidth) with limit \$8	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:01
S7	186	limit\$6 near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:09
S8	23	(limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:08

S9	12	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not ((user or subscriber or client) near5 selected near3 bandwidth) with limit\$8)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:09
S10	12	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not (limit\$6 with (user or subscriber or client) near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:32
S11	169	limit\$6 with selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:10
S12	29	"11".ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:10
S13	692	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:41
S14	1	709/232,240.ccls. and (limit \$6 near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:31
S15	0	(subscriber with identif\$6 with MAC) and AAA	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:31
S16	15	subscriber with identif\$6 with MAC	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:35
S17	15	MAC with (recv\$6 or recipient) with identif\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:48
S18	9	(MAC with (recv\$6 or recipient) with identif\$7) and subscriber	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:06
S19	38	AAA with subscriber	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:07
S20	2	AAA with subscriber with management	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:10

S21	457	delay\$2 with determin\$6 with time with size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:11
S22	37	delay\$2 with determin\$6 with time with size with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:12
S23	0	delay\$2 with determin\$6 with time with size with packet with byte	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:12
S24	6	delay\$2 with determin\$6 with time with size with byte	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:13
S25	107	709/232,240.ccls. and (delay\$2 with time and byte)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:14
S26	5	709/232,240.ccls. and (delay\$2 with time with byte)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:17
S27	181	(delay\$2 with based with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:18
S28	38	(delay\$2 with based with time with size with determi \$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:33
S29	1940	"ring buffer"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:21
S30	2	"ring buffer" and ((delay \$2 with based with time with size))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:22
S31	0	(AAA with subscriber) and (709/232,240.ccls. and (delay\$2 with time and byte))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:21
S32	2	"ring buffer" and (709/232,240.ccls. and (delay\$2 with time and byte))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:21
S33	0	"ring buffer" and ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:23

S34	2488610	determin\$6 ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:23
S35	2	determin\$6 with ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:24
S36	164	determin\$6 with ("delay time" with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:24
S37	20	determin\$6 with ("delay time" with size) with buffer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:28
S38	2172	maximum with delay with seconds	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:28
S39	42	maximum with delay with "2 seconds"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:31
S40	4	(maximum with delay with "2 seconds") and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:29
S41	14	(maximum with delay with "2 seconds") and buffer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:39
S42	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:40
S43	0	"5787483".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:40
S44	2	"6609153".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:40
S45	0	"6609153".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:40
S46	70	"ring buffer" and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:41

S47	10566	"70" and queue	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:42
S48	70	("ring buffer" and wireless)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:42
S49	15	("ring buffer" and wireless) and queue	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:45
S50	0	("ring buffer" and wireless) and (limit\$6 near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:44
S51	29	("ring buffer" and wireless) and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:45
S52	0	((("ring buffer" and wireless) and packet) and 709/232.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:46
S53	5	((("ring buffer" and wireless) and packet) and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:33
S54	4	queu\$6 with "ring buffer" with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:53
S55	1	(queu\$6 with "ring buffer" with packet) and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:57
S56	2	"5793978".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:58
S57	0	"5793978".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:58
S58	0	subscriber with profile with selected with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:32
S59	56	profile with selected with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:33

S60	30	(profile with selected with bandwidth) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:41
S61	1	(profile with (selected adj bandwidth)) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:41
S62	4	profile with (selected adj bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:36
S63	2	"6345293".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:36
S64	1	"6345293".pn. and profile with selected	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:37
S65	0	"6345293".pn. and profile with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:37
S66	0	"6345293".pn. and profile same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:37
S67	1	"6345293".pn. and profile and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:37
S68	0	user with badnwidth with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:41
S69	73	user with bandwidth with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:41
S70	54	(user with bandwidth with profile) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 11:17
S71	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 11:17

S72	10	dynamic\$ with adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:22
S73	6	S72 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:33
S74	2	"5113499".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:19
S75	1	S74 and (rate or badwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:21
S76	1	S74 and (rate or bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:20
S77	0	S74 and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:21
S78	1	S74 and rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:21
S79	879	adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:22
S80	623	S79 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:31
S81	177	S79.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:23
S82	117	S81 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:05
S83	1548	dynamic\$ with adjust\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:23
S84	0	S83 and S82	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:23

S85	41502	dynamic\$ with (adjust\$ or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:24
S86	8	S85 and S82	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:25
S87	54	S85 and S80	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:25
S88	46	S87 not S86	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:30
S89	1	"6738371".pn. and profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:41
S90	1	"6738371".pn. and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:53
S91	0	"6738371".pn. and MAC	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:01
S92	1	"6738371".pn. and delay\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:44
S93	2	"6738371".pn. and receiv\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:45
S94	1	"6738371".pn. and retriev\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:04
S95	7	profile with upload\$ with download\$ with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:05
S96	114632	"243" and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:34
S97	6	S95 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:05

S98	7	profile with upload with download with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:40
S99	6	S98 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:39
S100	8	profile with transmitting with receiving with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:39
S101	5	S100 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:41
S102	0	profile with upload with download with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:40
S103	2	(customer or user) adj2 defined with upload with download	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S104	2	S103 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:58
S105	862	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:42
S106	1027	709/226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:42
S107	1244	(S105 or S106) and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S108	1	(customer or user) adj2 defined with transmitting with receiving with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S109	24	(customer or user) adj2 defined with transmitting with receiving	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S110	16	S109 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:53

S111	0	user with regula\$ with transmi\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:53
S112	42	user with regula\$ with transmi\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:54
S113	25	S112 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:54
S114	1	user with regulat\$ with transmi\$ with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:54
S115	1	S114 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57
S116	14	P2P with file with sharing	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:55
S117	0	S116 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57
S118	20	user with download\$ with upload\$ with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S119	12	S118 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S120	32	user with download\$ with upload\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S121	0	user with download\$ with upload\$ with rate with control\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S122	25	S120 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S123	2	"6654808".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:56

S124	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:58
S125	2	subscriber with associat\$3 with MAC with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:59
S126	0	S125 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:59
S127	76	subscriber with MAC with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:59
S128	46	S127 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:01
S129	13	S127.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:00
S130	7	S129 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:01
S131	3563	text with conver\$4 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:07
S132	38	text with conver\$4 with image with handwriting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:07
S133	8	S132.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:07
S134	52	(subscriber or user) with dynamically with adjust\$3 with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:20
S135	89	(subscriber or user) with dynamically with adjust\$3 with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:20

S136	39	S135 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S137	1044	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S138	1245	709/226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S139	1277	(S137 or S138) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S140	1277	S139	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S141	35	user with download\$ with upload\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S142	25	S141 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S143	25	S142	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S144	2	"6738371".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:15
S145	1	S144 and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:56
S146	122	profile with (upload\$3 upstream\$3 transmitting) with (download\$ downstream\$ receiving) with (speed rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:44
S147	82	S146 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:35

S148	0	S146 same priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:35
S149	20	S146 and priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:35
S150	12	S149 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:36
S151	8	((user client subscriber) adj profile) with (upload\$3 upstream\$3 transmitting) with (download\$ downstream\$ receiving) with (speed rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:50
S152	6	S151 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:37
S153	18	(user client subscriber) with profile with (upload\$3 upstream\$3 transmitting) with (download\$ downstream\$ receiving) with (speed rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:37
S154	13	S153 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:38
S155	7	S154 not S152	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:38
S156	7	profile with upload\$ with download\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:39
S157	6	S156 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:40
S158	45	profile with transmit\$ with receiv\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:42
S159	1394054	"45" and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:40

S160	45	S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:40
S161	20	S158 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:42
S162	7	profile with (upload\$3 upstream\$3 transmitting) with (download\$ downstream\$ receiving) with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:42
S163	3	S162 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:45
S164	0	QOS same profile with (upload\$3 upstream\$3 transmitting send\$ sent) with (download\$ downstream\$ receiv\$6) with (speed rate bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:45
S165	177	profile with (upload\$3 upstream\$3 transmitting send\$ sent) with (download \$ downstream\$ receiv\$6) with (speed rate bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:45
S166	52	S165 and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:45
S167	2	S166 and QOS	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:45
S168	0	S167 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:46
S169	24	S166 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:51

S170	20	((user client subscriber customer) adj profile) with selected with (bandwidth rate speed)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:01
S171	9	S170 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:53
S172	250	((user client subscriber customer) adj profile) with (bandwidth rate speed)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:53
S173	124	S172 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:57
S174	115	S173 not S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:54
S175	22	S174 and QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:54
S176	2519147	((user client subscriber customer) adj profile) with selected level	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:57
S177	28	((user client subscriber customer) adj profile) with selected with level	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:59
S178	5	S177 and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:57
S179	1	S178 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:59
S180	31	((user client subscriber customer) adj profile) with level with services	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:59
S181	18	S180 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:02

S182	5	((user client subscriber customer) adj account) with selected with (bandwidth rate speed)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:02
S183	7	((user client subscriber customer) adj (account table)) with selected with (bandwidth rate speed)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:02
S184	3	S183 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:31
S185	211	subscriber with selected with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:09
S186	750	subscriber with selected with (bandwidth speed rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:31
S187	334	S186 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:32
S188	123	S186.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:32
S189	79	S188 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:44
S190	1721	subscriber with downstream with upstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:44
S191	9	subscriber with downstream with upstream with (account profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:44
S192	3	S191 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:09

S193	90	subscriber with select\$3 with upstream with downstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:23
S194	50	S193 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:43
S195	12	S193.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:23
S196	6	S195 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:39
S197	2	S194 and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:43
S198	2	S144 and select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:00
S199	0	S144 and translat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:00
S200	1	S144 and configur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:01
S201	1	profile and "6307836".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 11:52
S202	16	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not (limit\$6 with (user or subscriber or client) near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:32

S203	14	dynamic\$ with adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:33
S204	6	S203 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:33
S205	61	(delay\$2 with based with time with size with determi \$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:33
S206	14	((("ring buffer" and wireless) and packet) and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:33
S207	2	"6307836".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:23
S208	1	S207 and bandwidth with channel	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:23
S209	22	limit\$6 with (user or subscriber or client) near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S210	5	(user or subscriber or client) near5 selected near3 bandwidth same gateway	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S211	9	(user or subscriber or client) near5 selected near3 bandwidth same (gateway or router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S212	248	(user or subscriber or client) near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S213	5856480	"4".ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S214	22	((user or subscriber or client) near5 selected near3 bandwidth) with limit \$8	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S215	286	limit\$6 near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S216	36	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S217	21	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not ((user or subscriber or client) near5 selected near3 bandwidth) with limit\$8)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S218	21	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not (limit\$6 with (user or subscriber or client) near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S219	259	limit\$6 with selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S220	3156650	"11".ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S221	2064	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S222	2	709/232,240.ccls. and (limit \$6 near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S223	8	(subscriber with identif\$6 with MAC) and AAA	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S224	124	subscriber with identif\$6 with MAC	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S225	43	MAC with (recv\$6 or recipient) with identif\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S226	18	(MAC with (recv\$6 or recipient) with identif\$7) and subscriber	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S227	332	AAA with subscriber	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S228	35	AAA with subscriber with management	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S229	716	delay\$2 with determin\$6 with time with size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S230	81	delay\$2 with determin\$6 with time with size with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S231	3	delay\$2 with determin\$6 with time with size with packet with byte	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S232	9	delay\$2 with determin\$6 with time with size with byte	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S233	216	709/232,240.ccls. and (delay\$2 with time and byte)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S234	13	709/232,240.ccls. and (delay\$2 with time with byte)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S235	393	(delay\$2 with based with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S236	87	(delay\$2 with based with time with size with determin\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S237	3270	"ring buffer"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S238	2	"ring buffer" and ((delay\$2 with based with time with size))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S239	0	(AAA with subscriber) and (709/232,240.ccls. and (delay\$2 with time and byte))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S240	4	"ring buffer" and (709/232,240.ccls. and (delay\$2 with time and byte))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S241	0	"ring buffer" and ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S242	3645847	determin\$6 ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S243	5	determin\$6 with ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S244	255	determin\$6 with ("delay time" with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S245	36	determin\$6 with ("delay time" with size) with buffer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S246	3018	maximum with delay with seconds	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S247	53	maximum with delay with "2 seconds"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S248	9	(maximum with delay with "2 seconds") and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S249	19	(maximum with delay with "2 seconds") and buffer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S250	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S251	0	"5787483".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S252	2	"6609153".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S253	0	"6609153".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S254	282	"ring buffer" and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S255	17416	"70" and queue	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S256	282	("ring buffer" and wireless)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S257	62	("ring buffer" and wireless) and queue	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S258	1	("ring buffer" and wireless) and (limit\$6 near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S259	173	("ring buffer" and wireless) and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S260	3	((("ring buffer" and wireless) and packet) and 709/232.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S261	32	((("ring buffer" and wireless) and packet) and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S262	12	queu\$6 with "ring buffer" with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S263	6	(queu\$6 with "ring buffer" with packet) and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S264	2	"5793978".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S265	0	"5793978".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S266	2	subscriber with profile with selected with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S267	107	profile with selected with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S268	36	(profile with selected with bandwidth) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S269	1	(profile with (selected adj bandwidth)) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S270	15	profile with (selected adj bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S271	2	"6345293".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S272	1	"6345293".pn. and profile with selected	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S273	0	"6345293".pn. and profile with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S274	0	"6345293".pn. and profile same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S275	1	"6345293".pn. and profile and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S276	0	user with badnwidth with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S277	199	user with bandwidth with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S278	60	(user with bandwidth with profile) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S279	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S280	23	dynamic\$ with adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S281	6	S280 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S282	2	"5113499".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S283	1	S282 and (rate or badwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S284	1	S282 and (rate or bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S285	0	S282 and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S286	1	S282 and rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S287	1241	adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S288	621	S287 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S289	249	S287.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S290	112	S289 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S291	2693	dynamic\$ with adjust\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S292	0	S291 and S290	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S293	66715	dynamic\$ with (adjust\$ or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S294	7	S293 and S290	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S295	54	S293 and S288	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S296	47	S295 not S294	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S297	1	"6738371".pn. and profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S298	1	"6738371".pn. and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S299	0	"6738371".pn. and MAC	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S300	1	"6738371".pn. and delay\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S301	2	"6738371".pn. and receiv\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S302	1	"6738371".pn. and retriev\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S303	10	profile with upload\$ with download\$ with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S304	114894	"243" and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S305	6	S303 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S306	9	profile with upload with download with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S307	6	S306 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S308	13	profile with transmitting with receiving with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S309	5	S308 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S310	1	profile with upload with download with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S311	4	(customer or user) adj2 defined with upload with download	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S312	1	S311 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S313	2064	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S314	2743	709/226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S315	1316	(S313 or S314) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S316	2	(customer or user) adj2 defined with transmitting with receiving with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S317	51	(customer or user) adj2 defined with transmitting with receiving	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S318	16	S317 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S319	0	user with regula\$ with transmi\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S320	85	user with regula\$ with transmi\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S321	26	S320 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S322	10	user with regulat\$ with transmi\$ with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S323	2	S322 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S324	130	P2P with file with sharing	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S325	0	S324 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S326	50	user with download\$ with upload\$ with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S327	13	S326 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S328	48	user with download\$ with upload\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S329	0	user with download\$ with upload\$ with rate with control\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S330	25	S328 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S331	2	"6654808".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S332	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S333	17	subscriber with associat\$3 with MAC with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S334	1	S333 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S335	179	subscriber with MAC with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S336	48	S335 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S337	30	S335.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S338	7	S337 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S339	7649	text with conver\$4 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S340	73	text with conver\$4 with image with handwriting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S341	13	S340.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S342	108	(subscriber or user) with dynamically with adjust\$3 with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S343	281	(subscriber or user) with dynamically with adjust\$3 with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S344	39	S343 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S345	2064	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S346	2743	709/226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S347	1316	(S345 or S346) and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S348	1316	S347	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S349	48	user with download\$ with upload\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S350	25	S349 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S351	25	S350	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S352	2	"6738371".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S353	1	S352 and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S354	159	profile with (upload\$3 upstream\$3 transmitting) with (download\$ downstream\$ receiving) with (speed rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S355	76	S354 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S356	0	S354 same priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S357	34	S354 and priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S358	14	S357 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S359	16	((user client subscriber) adj profile) with (upload\$3 upstream\$3 transmitting) with (download\$ downstream\$ receiving) with (speed rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S360	8	S359 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S361	30	(user client subscriber) with profile with (upload\$3 upstream\$3 transmitting) with (download\$ downstream\$ receiving) with (speed rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S362	15	S361 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S363	7	S362 not S360	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S364	9	profile with upload\$ with download\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S365	6	S364 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S366	70	profile with transmit\$ with receiv\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S367	1497423	"45" and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S368	70	S366	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S369	19	S366 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S370	18	profile with (upload\$3 upstream\$3 transmitting) with (download\$ downstream\$ receiving) with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S371	2	S370 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S372	1	QOS same profile with (upload\$3 upstream\$3 transmitting send\$ sent) with (download\$ downstream\$ receiv\$6) with (speed rate bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S373	239	profile with (upload\$3 upstream\$3 transmitting send\$ sent) with (download \$ downstream\$ receiv\$6) with (speed rate bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S374	94	S373 and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S375	9	S374 and QOS	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S376	1	S375 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S377	26	S374 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S378	40	((user client subscriber customer) adj profile) with selected with (bandwidth rate speed)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S379	12	S378 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S380	445	((user client subscriber customer) adj profile) with (bandwidth rate speed)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S381	130	S380 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S382	118	S381 not S379	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S383	23	S382 and QOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S384	2977912	((user client subscriber customer) adj profile) with selected level	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S385	42	((user client subscriber customer) adj profile) with selected with level	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S386	11	S385 and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S387	1	S386 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S388	52	((user client subscriber customer) adj profile) with level with services	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S389	19	S388 and @ad<"19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S390	9	((user client subscriber customer) adj account) with selected with (bandwidth rate speed)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S391	12	((user client subscriber customer) adj (account table)) with selected with (bandwidth rate speed)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S392	3	S391 and @ad<"19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S393	301	subscriber with selected with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S394	1040	subscriber with selected with (bandwidth speed rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S395	334	S394 and @ad<"19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S396	150	S394.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S397	72	S396 and @ad<"19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S398	2645	subscriber with downstream with upstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S399	17	subscriber with downstream with upstream with (account profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S400	3	S399 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S401	119	subscriber with select\$3 with upstream with downstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S402	51	S401 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S403	11	S401.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S404	7	S403 and @ad< "19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S405	2	S402 and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S406	2	S352 and select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S407	0	S352 and translat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S408	1	S352 and configur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S409	1	profile and "6307836".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

S410	21	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not (limit\$6 with (user or subscriber or client) near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S411	23	dynamic\$ with adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S412	6	S411 and @ad< "19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S413	87	(delay\$2 with based with time with size with determi \$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S414	32	((("ring buffer" and wireless) and packet) and "709"/\$.ccs.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S415	2	"6307836".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27
S416	1	S415 and bandwidth with channel	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/17 17:27

2/ 15/ 10 1:11:09 PM

C:\ Documents and Settings\ awang2\ My Documents\ EAST\ Workspaces\ 09693481.wsp